
bottle-rest

Release 0.4.3

February 03, 2017

1 API documentation	3
1.1 bottle_rest submodule	3
2 What is it	5
2.1 REST in bottle	5
2.2 bottle-rest	5
2.3 json_to_params	6
2.4 json_to_data	6
2.5 form_to_params	6
3 Installation	9
4 Testing	11
5 Source code	13
6 Indices and tables	15
Python Module Index	17

Welcome in the `bottle-rest` documentation. This package is used to make easier creating REST applications using [Bottle](#) web framework.

API documentation

1.1 bottle_rest submodule

bottle_rest.bottle_rest.**decode_json_body()**
Decode bottle.request.body to JSON.

Returns Structure decoded by json.loads().

Return type obj

Raises HTTPError – 400 in case the data was malformed.

bottle_rest.bottle_rest.**encode_json_body(data)**
Return prettified JSON data, set response.content_type to application/json; charset=utf-8.

Parameters **data** (any) – Any basic python data structure.

Returns Data converted to prettified JSON.

Return type str

bottle_rest.bottle_rest.**form_to_params(fn=None, return_json=True)**
Convert bottle forms request to parameters for the wrapped function.

Parameters **return_json** (bool, default True) – Should the decorator automatically convert returned value to JSON?

bottle_rest.bottle_rest.**handle_type_error(fn)**
Convert TypeError to bottle.HTTPError with 400 code and message about wrong parameters.

Raises HTTPError – 400 in case too many/too little function parameters were given.

bottle_rest.bottle_rest.**json_to_data(fn=None, return_json=True)**
Decode JSON from the request and add it as data parameter for wrapped function.

Parameters **return_json** (bool, default True) – Should the decorator automatically convert returned value to JSON?

bottle_rest.bottle_rest.**json_to_params(fn=None, return_json=True)**
Convert JSON in the body of the request to the parameters for the wrapped function.

If the JSON is list, add it to *args.

If dict, add it to **kwargs in non-rewrite mode (no key in **kwargs will be overwritten).

If single value, add it to *args.

Parameters `return_json` (`bool, default True`) – Should the decorator automatically convert returned value to JSON?

`bottle_rest.bottle_rest.pretty_dump(fn)`
Decorator used to output prettified JSON.

`response.content_type` is set to `application/json; charset=utf-8`.

Parameters `fn` (`fn pointer`) – Function returning any basic python data structure.

Returns Data converted to prettified JSON.

Return type str

What is it

bottle-rest is a collection of decorators, which can transform incoming data to parameters of your bottle functions/methods and outgoing data to JSON.

2.1 REST in bottle

Usually, when you try to write simple JSON REST API in bottle, you have to work with `request` object, read the `request.body` file, decode the JSON, do something with the decoded structure and return back some JSON encoded data.

This is not bad when you have to do it once, but can get pretty annoying when you try to build something bigger and have to repeat the steps again and again.

2.2 bottle-rest

bottle-rest gives you three wrappers to make this repetitive work little bit easier: `json_to_params()`, `json_to_data()` and `form_to_params()`.

All three of them maps input data to parameters of your function, so instead of code like*:

```
import json
from bottle import post, request, HTTPError

@post("/somepath")
def handler():
    if "somevar" not in body.json:
        raise HTTPError(400, "'somevar' parameter is required!")

    return json.dumps(
        database[body.json[somevar]]
    )
```

you can use just:

```
from bottle import post
from bottle_rest import json_to_params

@post("/somepath")
@json_to_params
```

```
def handler(somevar):
    return database[somevar]
```

*Edit: Returned dicts are by Bottle automatically converted to JSON, but other types are not. Thats why I am using explicit conversion (also, there is pretty print).

2.3 json_to_params

As you can probably guess from the name and see in the example, `json_to_params()` simply maps the incoming data to parameters for your function.

There are three possible things you can get from incoming JSON:

- *dictionary*
- *list*
- *basic type*

Dictionary is mapped to `kwargs` of your functions, in non-rewrite mode (no existing `kwargs` key will be rewritten).

List and *basic types* are added at the end of the `*args` parameter of your function.

For the function in the example, you can send:

```
{  
    "somevar": "somevalue"  
}
```

or:

```
[ "somevalue" ]
```

or:

```
"somevalue"
```

with same results.

All returned data from wrapped function will be automatically converted to the JSON, unless the `return_json=False` parameter is specified.

2.4 json_to_data

`json_to_params()` works almost identically as previous function, except that it puts all the decoded data into `data` parameter of your function, so better make sure, that you have it defined.

This can be useful for bigger sets of the data, which could be impractical to put into parameters.

All returned data from wrapped function will be automatically converted to the JSON, unless the `return_json=False` parameter is specified.

2.5 form_to_params

Finally `form_to_params()` works same way as `json_to_params()`, but it doesn't decodes the input data, but data sent as GET or POST request parameters.

Note: In PHP, you would get this using the infamous `$_GET` and `$_POST` variables.

All returned data from wrapped function will be automatically converted to the JSON, unless the `return_json=False` parameter is specified.

Installation

Module is hosted at [PYPI](#), and can be easily installed using [PIP](#):

```
sudo pip install bottle-rest
```

Testing

This project uses [pytest](#) for testing. You can run the tests from the root of the package using following command:

```
$ py.test unittests/
```

Which will output something like:

```
===== test session starts =====
platform linux2 -- Python 2.7.6 -- py-1.4.23 -- pytest-2.6.0
collected 13 items

unittests/test_bottle_rest.py ......

===== 13 passed in 0.09 seconds =====
```


Source code

This project is released as opensource (MIT) and source codes can be found at GitHub:

- <https://github.com/Bystroushaak/bottle-rest>

Indices and tables

- genindex
- modindex
- search

b

bottle_rest.bottle_rest, 3

B

bottle_rest.bottle_rest (module), 3

D

decode_json_body() (in module bottle_rest.bottle_rest), 3

E

encode_json_body() (in module bottle_rest.bottle_rest), 3

F

form_to_params() (in module bottle_rest.bottle_rest), 3

H

handle_type_error() (in module bottle_rest.bottle_rest), 3

J

json_to_data() (in module bottle_rest.bottle_rest), 3

json_to_params() (in module bottle_rest.bottle_rest), 3

P

pretty_dump() (in module bottle_rest.bottle_rest), 4